



MIKE URBAN+ Installation Guide



DHI A/S headquarters Agern Allé 5 DK-2970 Hørsholm Denmark

+45 4516 9200 Telephone +45 4516 9333 Support +45 4516 9292 Telefax

mike@dhigroup.com www.mikepoweredbydhi.com



PLEASE NOTE

COPYRIGHT	This document refers to proprietary computer software, which is protected by copyright. All rights are reserved. Copying or other reproduction of this manual or the related programs is prohibited without prior written consent of DHI A/S (hereinafter referred to as "DHI"). For details please refer to your 'DHI Software Licence Agreement'.
LIMITED LIABILITY	The liability of DHI is limited as specified in your DHI Software License Agreement:
	In no event shall DHI or its representatives (agents and suppliers) be liable for any damages whatsoever including, without limitation, special, indirect, incidental or consequential damages or damages for loss of business profits or savings, business interruption, loss of business information or other pecuniary loss arising in connection with the Agreement, e.g. out of Licensee's use of or the inability to use the Software, even if DHI has been advised of the possibility of such damages.
	This limitation shall apply to claims of personal injury to the extent permitted by law. Some jurisdictions do not allow the exclusion or limitation of liability for consequential, special, indirect, incidental damages and, accordingly, some portions of these limitations may not apply.
	Notwithstanding the above, DHI's total liability (whether in contract, tort, including negligence, or otherwise) under or in connection with the Agreement shall in aggregate during the term not exceed the lesser of EUR 10.000 or the fees paid by Licensee under the Agreement during the 12 months' period previous to the event giving rise to a claim.
	Licensee acknowledge that the liability limitations and exclusions set out in the Agreement reflect the allocation of risk negotiated and agreed by the parties and that DHI would not enter into the Agreement without these limitations and exclusions on its liability. These limitations and exclusions will apply notwithstanding any failure of essential purpose of any limited remedy.



CONTENTS

MIKE URBAN+ Installation Guide

1	Introduction	1
2	Installation Prerequisites	2
3	MIKE URBAN+ Installation/Upgrade	3
4	DHI License File	8
PostgreS	DIX A: Install PostgreSQL and PostGIS QL Installation Installation	9
APPEN	DIX B: Advanced PostgreSQL Database management tool	. 16
	DIX C: Configuring the PostgreSQL Database Server for remote access	
APPEN	DIX D: Install ArcGIS Pro	. 22
ArcGIS F	Pro Installation	22
	ation with a named user license	
Authoriza	ation with a network license server and EFL code	27



1 Introduction

This installation guide covers the installation of MIKE URBAN+ and required 3rd party software.

MIKE URBAN+ can be deployed in different ways using local SQLite database or a PostgreSQL database server – ranging from a personal installation to a corporate installation.

For PostgreSQL, you have these two options

- 1. Personal installation, which allows users to work in a network independent mode on their desktop. This requires the installation of a database on the local computer;
- 2. Corporate installation, which allows for an office to have multiple installations (clients) all working against a central database server.

Furthermore, ArcGIS Pro may optionally be also installed, when purchased as part of MIKE URBAN+ ArcGIS.

Important information: Please be aware that all MIKE software (including the DHI License Manager) on the same computer must be installed with the same service pack. This is due to the dependencies between MIKE software products and our wish to use the latest and technically most advanced development systems.



2 Installation Prerequisites

MIKE URBAN+ depends on several prerequisites as listed below if you want to use a PostgreSQL database.

1. A PostgreSQL database server with the PostGIS spatial database extension. The installers of PostgreSQL and PostGIS are included in a separate "Prerequisites" subfolder of the MIKE URBAN+ installation. MIKE URBAN+ supports the following combination of the two products:

- PostgreSQL 11.2 and PostGIS 2.5.1

Combinations of later versions may also work, but have not been tested.

- 2. SQLite database with a SpatiaLite extension. It is included in the MIKE URBAN+ installer and will be installed automatically with MIKE URBAN+.
- 3. The DHI License Management application.
- 4. .NET framework 4.7.2, or .NET framework 4.8 when also installing ArcGIS Pro 2.5.



3 MIKE URBAN+ Installation/Upgrade

The installation process consists of three parts.

- 1. Installation of MIKE URBAN+;
- 2. Optional installation of PostgreSQL and PostGIS;
- 3. Optional installation of ArcGIS Pro.

Installation of MIKE URBAN+ software is simple and requires no user interactions beyond accepting the license conditions, specifying the installation folder and languages that should be installed besides English, and includes installation of the personal database SQLite with a SpatiaLite extension.

The following table explains how to install or upgrade MIKE URBAN+ and required 3rd party software.

If you need to install or update the version of PostgreSQL and PostGIS, follow the steps described in APPENDIX A. If you need to install ArcGIS Pro, follow the steps described in APPENDIX D.

Installation step	Screen
Before starting the installation, make sure that User Account Control settings from your Windows operating system are set to the minimum level	 User Account Control Settings - Conservent potentially harmful programs from making changes to your computer. Tell me more about User Account Control settings Always notify Always notify Apps try to install software or make changes to my computer. I make changes to Windows settings Never notify Not recommended.



Installation step	Screen
Run the <i>setup.exe</i> program file from the installation media/download folder, in the	提 DHI MIKE URBAN+ 2020 Update 1 - InstallShield Wizard ×
'MIKE URBAN+' folder.	EMBEDDING KNOWLEDGE IN TECHNOLOGY
Click Next	Welcome to the InstallShield Wizard for DHI MIKE URBAN + 2020 Update 1 The InstallShield(R) Wizard will install DHI MIKE URBAN + 2020 Update 1 on your computer. To continue, click Next.
	WARNING: This program is protected by copyright law and international treaties.
	< Back Next > Cancel
Accept the license agreement Click Next	DHI MIKE URBAN+ 2020 Update 1 - InstallShield Wizard K License Agreement Please read the following license agreement carefully. Powered by DHI
	1.1 You are about to install and/or use software developed by DHI A/S ("DHI") and its licensors (the "Software"). Please read this legal notice carefully as it includes important information about how you may and may not use the Software. 1.2 You are only allowed to install and/or use the Software if You or a legal entity on behalf of You have obtained a valid license for you to do so. If you or a legal entity on behalf of you have not obtained a valid license to install and/or use the Software, you are not allowed to do so and doing so will be illegal. 1.3 Anv license to use and anv use of the Software is subject to the regulation set out on I I accept the terms in the license agreement I I do not accept the terms in the license agreement I I do not accept the terms in the license agreement I I stallShield
	< Back Next > Cancel
Select the languages you want to install on the computer (besides English)	DHI MIKE URBAN+ 2020 Update 1 - InstallShield Wizard Custom Setup Select the program features you want installed. Powered by DHI
Click Next	Click on an icon in the list below to change how a feature is installed. Click on an icon in the list below to change how a feature is installed. Click on an icon in the list below to change how a feature is installed. Click on an icon in the list below to change how a feature is installed. Feature Description MIKE URBAN+ This feature requires 2026MB on your hard drive. It has 0 of 9 subfeatures selected. The subfeatures selected. The subfeatures selected. The subfeatures require 0KB on your hard drive. Install to: C: \Program Files (x86)\DHI\MIKE URBAN\2020\ InstallShield Help Space < Back Next > Cancel



Installation step	Screen
Select the license type. This may be modified after the installation if required. Click Next	DHI MIKE URBAN+ 2020 Update 1 - InstallShield Wizard License selection Select license type Unchanged. Keep current form of license management. Select this option if you have an internet license. Demo Cocal. To use local mode DHI License Manager must be installed on the system and your DHI dongle must be plugged in Network. Licenses are requested from a central server InstallShield
Click Install	< Back
Wait	DHI MIKE URBAN+ 2020 Update 1 - InstallShield Wizard — X Installing DHI MIKE URBAN+ 2020 Update 1 The program features you selected are being installed. Please wait while the InstallShield Wizard installs DHI MIKE URBAN+ 2020 Update 1. This may take several minutes. Status: Copying new files InstallShield InstallShield Kenter of the several minutes. LinstallShield Cancel



Installation step	Screen
Click Finish	DHI MIKE URBAN+ 2020 Update 1 - InstallShield Wizard
	The InstallShield Wizard has successfully installed DHI MIKE URBAN + 2020 Update 1. Click Finish to exit the wizard.
	< Back Finish Cancel
In the start menu, right-click on MIKE URBAN+, and select Open file location .	MIKE URBAN+ 2020 DHI Software Updater Image: Sirius.mupp
In the file explorer, right-click on MIKE URBAN+, and select Properties	Send to Cut Copy Create shortcut Properties



Installation step	Screen
In the MIKE URBAN+ properties, click Change high DPI settings	MIKE URBAN+ Properties × Security Details Previous Versions General Shortcut Compatibility If this program isn't working correctly on this version of Windows, try running the compatibility troubleshooter. Run compatibility troubleshooter How do 1 choose compatibility settings manually? Compatibility mode Compatibility mode Compatibility mode Run this program in compatibility mode for: Windows 8 Settings Settings Settings Reduced color mode 8-bit (256) color Settings Run in 640 x 480 screen resolution Disable fullscreen optimizations Run this program as an administrator Change high DPI settings Change settings for all users OK Cancel Apply
Set the option to System (Enhanced). Click OK.	MIKE URBAN+ Properties × Choose the high DPI settings for this program. Program DPI Use this setting to fix scaling problems for this program instead of the one in Settings Open Advanced scaling settings A program might look blurry if the DPI for your main display changes after you sign in to Windows. Windows can try to fix this scaling problem for this program by using the DPI that's set for your main display when you open this program. Use the DPI that's set for my main display when I signed in to Windows Learn more High DPI scaling override Override high DPI scaling behavior. System (Enhanced) OK



4 DHI License File

The DHI license is handled through the DHI License Management software, which can be found under DHI License Administration in the Start Menu.

Important information: If you plan to use a local DHI license bound to a dongle, you must install the DHI License Manager before following the steps below. The installer for the DHI License Manager must be downloaded separately from the MIKE URBAN+ installer. This additional installation is however not required for an Internet license. For a network license installation, the DHI License Manager is required only on the server, but not on the client computers.





APPENDIX A: Install PostgreSQL and PostGIS

As mentioned in Chapter 2, it is possible to use a PostgreSQL database.

PostgreSQL Installation

The following table explains how to install a PostgreSQL database. The postgresql-xx.x-x-windows-x64.exe installer is located in the "Prerequisites" sub-folder of the MIKE URBAN+ installation.

Installation step	Screen
Run the database installation program e.g. postgresql-xx.x-x-windows- x64.exe	
Start of installation Click Next	Setup - C X Packaged by: POSTGRES POSTGRES Recover to the PostgreSQL Setup Wizard.
	<back next=""> Cancel</back>
Accept the default installation folder Click Next	Setup Installation Directory Please specify the directory where PostgreSQL will be installed. Installation Directory C:\Program Files\PostgreSQL\11 InstallBuilder InstallBuilder Sadk Next > Cancel



Installation step	Screen
Accept the default selected components.	Select Components
	you are ready to continue. PostgreSQL Server pgAdmin 4 Stack Builder Command Line Tools
	InstallBuilder Cancel
Accept the default data folder. Click Next	Setup - × Data Directory Image: Constraint of the set of th
	Please select a directory under which to store your data. Data Directory ::/Program Files/PostgreSQL\11\data
	< Back Next > Cancel
Type in a password for the postgres user (the administrator for the database server). Click Next	Setup Password Please provide a password for the database superuser (postgres). Password ******* Retype password ******* InstallBuilder
	InstallBuilder Cancel



Installation step	Screen
Accept the default port number (5432) Click Next	Setup - C X Port Please select the port number the server should listen on. Port 5432
	InstallBuilder <back next=""> Cancel</back>
Leave the "Locale" as "Default Locale" Click Next	Setup Advanced Options Select the locale to be used by the new database cluster. Locale [Default locale] InstallBuilder Advanced Options Cancel
Installation summary. Click Next	Setup Pre Installation Summary The following settings will be used for the installation:: Installation Directory: C:\Program Files\PostgreSQL\11 Server Installation Directory: C:\Program Files\PostgreSQL\11 Database Port: 5432 Database Superuser: postgres Operating System Account: NT AL/THORITY\WetworkService Database Superuser: postgres3 Operating System Account: NT AL/THORITY\VetworkService Database Superuser: postgres3 Operating System Account: NT AL/THORITY\VetworkService Database Superuser: C:\Program Files\PostgreSQL\11 Command Line Tools Installation Directory: C:\Program Files\PostgreSQL\11 Command Line Tools Installatio



Installation step	Screen
Click Next	Setup – – × Ready to Install Setup is now ready to begin installing PostgreSQL on your computer. InstallBuilder Setup is now ready to begin installing PostgreSQL on your computer.
Installing	Setup Installing Please wait while Setup installs PostgreSQL on your computer. Installing Unpacking C: Program Files/PostgreSQL\11\ndude\ogr_feature.h InstallBuilder Astronomy Cancel A
The database server installation has finished Click off the "Launch Stack Builder at exit?" option and then click Finish	Setup Packaged by: Packaged by: Completing the PostgreSQL Setup Wizard Setup has finished installing PostgreSQL on your computer. Launch Stack Builder at exit? Stack Builder may be used to download and install additional tools, drivers and applications to complement your PostgreSQL installation. A Back Finish Cancel Cancel Cance Cance Cance Cance Cancel Cance Cance Cance Cance C



PostGIS Installation

The following table explains how to install PostGIS database extension. The postgisbundle-pg11x64-setup-x.x.x-x.exe installer is located in the "Prerequisites" sub-folder of the MIKE URBAN+ installation.

Installation step	Screen
Run the PostGIS installation program (e.g. postgis-bundle- pg11x64-setup-x.x.x-x.exe)	
Start of installation Click I Agree	PostGIS Bundle 2.5.1 for PostgreSQL x64 11 Setup License Agreement Please review the license terms before installing PostGIS Bundle 2.5.1 for PostgreSQL x64 11. Press Page Down to see the rest of the agreement. GINU GENERAL PUBLIC LICENSE Version 2, June 1991 Copyright (C) 1989, 1991 Free Software Foundation, Inc. 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA Everyone is permitted to copy and distribute verbatim copies of this license for most software are designed to take away your If you accept the terms of the agreement, click I Agree to continue. You must accept the agreement to install PostGIS Bundle 2.5.1 for PostgreSQL x64 11. Nullsoft Install System v3.02.1 I Agree Cancel
Leave "Create spatial database" unchecked. Click Next	PostGIS Bundle 2.5.1 for PostgreSQL x64 11 Setup Otoose Components Choose Components Choose which features of PostGIS Bundle 2.5.1 for PostgreSQL x64 11 you want to install. Check the components you want to install and uncheck the components you don't want to install. Click Next to continue. Select components to install: PostGIS Create spatial database Space required: 188.4 MB Mullsoft Install System v3.02.1 Amage: Amage: Amag



Installation step	Screen
Accept the default folder. Click Next	PostGIS Bundle 2.5.1 for PostgreSQL x64 11 Setup Octoose Install Location Choose Install Location Choose the folder in which to install PostGIS Bundle 2.5.1 for PostgreSQL x64 11. Setup will install PostGIS Bundle 2.5.1 for PostgreSQL x64 11 in the following folder. To install in a different folder, click Browse and select another folder. Click Next to continue.
	Destination Folder G:\Program Files\PostgreSQL\11\ Browse Space required: 188.4 MB Space available: 212.0 GB Nullsoft Install System v3.02.1 < Back
Yes to the GDAL_Data environment variable Click Yes	PostGIS Bundle 2.5.1 for PostgreSQL x64 11 Setup Would you like us to register the GDAL_DATA environment variable for you, needed for raster transformation to work properly? This will overwrite existing settings if you have them.
Yes to both set of environment variables	Yes No PostGIS Bundle 2.5.1 for PostgreSQL x64 11 Setup × Raster drivers are disabled by default. To change you need to set POSTGIS_GDAL_ENABLED_DRIVERS environment variable and will need
	to restart your PostgreSQL service for changes to take effect. Set POSTGIS_ENABLED_DRIVERS to common drivers GTiff, PNG, JPEG, XYZ, DTED, USGSDEM, AAIGrid? Yes No
	PostGIS Bundle 2.5.1 for PostgreSQL x64 11 Setup × Raster out of db is disabled by default. To enable POSTGIS_ENABLE_OUTDB_RASTERS environment variable needs to be set to 1. Enable out db rasters?
	Yes No



Installation step	Screen
The installation has finished Click Close	PostGIS Bundle 2.5.1 for PostgreSQL x64 11 Setup



APPENDIX B: Advanced PostgreSQL Database management tool

The PostgreSQL database password provided during installation can be stored in the database for easy access in the future. It is an optional configuration.

Installation step	Screen
Start the pgAdmin 4 database administration tool from the Windows Start menu	PostgreSQL 11SelectionApplication Stack BuilderSelectionInstallation notesPgAdmin 4SelectionPostgreSQL documentationSelectionReload ConfigurationSQL Shell (psql)
An internet browser opens	Image: Book with the second secon
Right click the database server entry for localhost under the Servers node to access "Connect Server"	 Servers (1) PostgreSOL 11 Create Refresh Delete/Drop Connect Server Properties



Installation step	Screen	
Provide the password for the postgres user and check on the "Store password" option	Connect to Server Please enter the pa 11*	ssword for the user 'postgres' to connect the server - "PostgreSQL
Note: Clicking on "Store password" leads to a warning.	Password	Save Password
Click OK on the warning dialog		X Cancel V OK



APPENDIX C: Configuring the PostgreSQL Database Server for remote access

IMPORTANT: This is only needed if the database server shall accept connection from remote computers.

The section describes how to configure the PostgreSQL database server for running in corporate mode.

Installation step	Screen				
Locate the pg_hba.conf file in	← → ✓ ↑ → This PC → OSDisk (C:) → Program Files →		December 1	- Ere	
the data folder (C:\Program Files\PostgreSQL\11\data) and open it in an editor e.g. Notepad	• 9.6 • • 64a • 64c • 6cc • 6cd • 9cddata • 9cddata • 9cddata • 9cdata • 9cdata	Name bane bane bane bane bane bane bane ban	Date modified Type 27-0-2017 1400 Filed 0-0-2017 1500 Filed 0-0-2017 1525 Filed 0-0-2017 1525 Filed 20-0-2017 1525 Filed	older older older older older older older older older older older older older	
Insert new line(s) to open up	pg_hba.conf - Notepad		-	- 🗆 ×	
for all non-local connections to database as shown on the right	File Edit Format View Help # OPTIONS are a set of options # NAME=VALUE. The available op # authentication methods ref # section in the documentation # available for which authentic	tions depend on the o er to the "Client Au for a list of which o	different thentication"	at ^	
Open for IPv4:	# # Database and user names conta			ther	
host all all 0.0.0.0/0 md5	<pre># special characters must be qu # "all", "sameuser", "samerole" # its special character, and ju</pre>	or "replication" mal	kes the name lo		
Open for IPv6:	# that name. #				
host all all ::0/0 md5	<pre># This file is read on server s # SIGHUP signal. If you edit t # SIGHUP the server for the cha # or execute "SELECT pg_reload_ # Put your actual configuration #</pre>	he file on a running nges to take effect, conf()". here	system, you ha	ave to	
Adjust spaces!	# # If you want to allow non-loca	l connections, you no	eed to add more	2	
Save the configuration.	<pre># If you want to allow non-local connections, you need to add more # "host" records. In that case you will also need to make PostgreSQL # listen on a non-local interface via the listen_addresses # configuration parameter, or via the -i or -h command line switches.</pre>				
	# TYPE DATABASE USER	ADDRESS	M	THOD	
	# IPv4 local connections: host all all # IPv6 local connections:	127.0.0.1/3	2 mo	15	
	host all all # Allow replication connections	::1/128 from localhost, by a	mo a user with the		
	<pre># replication privilege. host replication all host prelimities all</pre>	127.0.0.1/3			
	host replication all host all all host all all all	::1/128 0.0.0.0/0 ::0/0	ma ma	15	
				*	

Start by enabling password save as shown in APPENDIX B.



Installation step	Screen						
Restart the services to apply the update.	i젷 Task Manager File Options View					- 🗆 X	<
•	Processes Performance Ap	p history	Startup Users	Details Servio	ces		
	Name	PID	Description		Status	Group	^
	🔍 PolicyAgent	5752	IPsec Policy	Agent	Running	NetworkServic	
	ostgresql-x64-11	7557		- 11	Running)
	O Power	Start			Running	DcomLaunch	
	Power Manager DBC Serv	Stop		: Power Ser	Running		i.
	PrintNotify	Restar	t	ns and Not	Stopped	print	
	ReintWorkflowUserSvc	Open	Services		Stopped	PrintWorkflow	
	PrintWorkflowUserSvc_9t		n online	9ba21	Stopped	PrintWorkflow	
	ProfSvc		details	rice	Running	netsvcs	~
			uetans				
	🔿 Fewer details 🛛 🍇 Oper	1 Services					

Configuring the Windows Firewall for remote access to PostgreSQL

The section describes how to configure the Windows firewall for PostgreSQL running in enterprise mode.

Installation step	Screen
Open the Firewall applet in the Windows Control Panel Click Advanced Settings	Control Panel Items Windows Firewall Search Control Panel Items Windows Firewall Control Panel Items Windows Firewall Control Panel Items Windows Firewall Import of the protect your computer with Windows Firewall Import of the protect your computer with Windows Firewall Import of the protect your computer with Windows Firewall Import of the protect your computer with Windows Firewall Import of the protect your computer with Windows Firewall Import of the protect your computer with Windows Firewall Import of the protect your computer with Windows Firewall Windows Firewall Itel protect your computer? What are network locations? Import firewall is not using the recommended settings Troubleshoot my network See also Action Center Network and Sharing Center What are the recommended settings? Methage Compacted (w)
Select Inbound Rules Click New Rule in the Actions panel to the right	Windows Firewall with Advanced Security ■ Elle Action View Help ■ Windows Firewall with Advanced ■ Outbound Rules ● Outbound Rules ■ Detablished Rules ● Connection Security Rules ● BanchCacke Petrol Cocket Note Connection Network Projector (VSD Rules Note Oconnection Network Projector (VSD Rules Note Connection Network Projector (VSD Rules Note Cons N



Installation step	Screen
Select Port Click Next	New Inbound Rule Wizard Rule Type Select the type of frewal rule to create.
	Steps: Rule Type Protocol and Pots Action Profile Profile Name Pgt Rule that controls connections for a program. Pgdefined: Projectined:
	Learn more about rule troes
	Pew Inbound Rule Wizard
Select TCP, Specific local ports and enter 5432 (or the	New Inbound Rule Wizard Protocol and Ports
port number specified when	Specify the protocols and ports to which this rule applies.
installing PostgreSQL)	Steps: Does this rule apply to TCP or UDP?
	Protocol and Ports ICP
Click Next	Action DP Profile
	Name Does this rule apply to all local ports or specific local ports?
	 All local ports Specific local ports: 5432 Example: 80, 443, 5000-5010
	Learn more about protocol and ports
	< Back Next > Cancel
Select Allow the connection	Wew Inbound Rule Wizard
Click Next	Action Specify the action to be taken when a connection matches the conditions specified in the rule.
	Steps: Pade Type Protocol and Pots Image: Comparison of the specified conditions? Action Image: Comparison of the specified conditions? Profile Name Name Allow the connection if it is secure This includes only connections that are protected with IPsec as well as those are not. Cutomize. Cutomize. Cutomize. Cutomize.
	Learn more about actions < Back Next > Cancel



Installation step	Screen
Click on for all profiles Click Next	New Inbound Rule Wizard Profile Specify the profiles for which this rule apples. Steps: • Rule Type • Protocol and Ports • Action • Profile • Name Ø Domain Applies when a computer is connected to its corporate domain. Ø Dynamic Applies when a computer is connected to a private network location. Ø Pyblic Applies when a computer is connected to a public network location.
	Learn more about porfiles < Back Next > Cancel
Specify a rule name – e.g. "PostgreSQL (5432)" – and a description	New Inbound Rule Wizard Name Specify the name and description of this rule. Steps:
Click Finish	Rule Type Protocol and Ports Action Profile Portige SQL (5432) Name Description (optional):
	< Back Finish Cancel
The new rule is now added to the list of Inbound rules	Windows Frewall with Advanced Security Image: Construct of the Advanced Security Image: Construct of th



APPENDIX D: Install ArcGIS Pro

The ArcGIS Pro installation is carried out in two stages:

- 1. Installation of ArcGIS Pro;
- 2. Authorization of the license as named user (preferred option, applicable to single use as well as concurrent use licenses), or Concurrent license using EFL code or local license.

ArcGIS Pro Installation

The following table explains how to install ArcGIS Pro. The ArcGISPro.msi installer is located in the "Prerequisites" sub-folder of the MIKE URBAN+ installation.

Installation step	Screen
Run the <i>ArcGISPro.msi</i> program file from the installation media/download folder, in the 'ArcGIS Pro' folder.	ArcGIS Pro Setup × Welcome to the ArcGIS Pro Setup program It is strongly recommended that you exit all Windows programs before running this setup program.
Click Next	Click Cancel to quit setup and dose any programs you have running. Click Next to continue the installation. WARNING: This program is protected by copyright law and international treaties. Unauthorized reproduction or distribution of this program, or any portion of it, may result in severe civil and criminal penalties, and will be prosecuted to the maximum extent possible under law.



Installation step	Screen			
Select Anyone who uses this computer (all users) Click Next	ArcGIS Pro Setup Installation Context Install this application for: Anyone who uses this computer (all users) Only for me (mjh)			
	< Back Next > Cancel			
Click Next	ArcGIS Pro Setup × Destination Folder Select a folder where the application will be installed.			
Click Install	If you want to review or change any of your installation settings, click Back. Click Cancel to exit the wizard. Would you like to anonymously participate in the design of future versions of ArcGIS? Click here to participate in the Esri User Experience Improvement program. Learn more about Esri User Experience Improvement			



Installation step	Screen	
Click Finish	HarcGIS Pro Setup X	
	ArcGIS Pro has been successfully installed.	
	Click the Finish button to exit this installation.	
	Run ArcGIS Pro now.	
	< Back Finish Cancel	

Authorization with a named user license

The named license (single use as well as concurrent use) provides an easy procedure for authorization and no physical license server is needed. If you have a named user license of ArcGIS Pro software, please follow these instructions to authorize the product.

In order to authorize ArcGIS Pro, you must have received an invitation email to activate the license online. The first user activating the license from your company will automatically be assigned as 'company admin'. The activation link can be used for licensing, adding and removing members, sharing projects and maps based on the cloud solution.

To proceed with the authorization, make sure you have this activation email and you are connected to the Internet

Installation step	Screen
Click on the activation link and follow the indications to create the online page for your organization To explore the functionality of ArcGIS online, click on 'Self- Help Resources'	Hello: Here is the information for activating your ArcGIS Online subscription. To activate your subscription, click the following link or copy it into your browser: <u>https://www.arcgis.com/home/activate.html?activationcode=21c10c00938dbd50c2a5</u> Review the <u>terms of use</u> . <u>Your Subscription Information</u> Keep the following subscription ID for your records and reference it if you need to contact us. <u>Subscription ID: XXXXXXXX</u> <u>Customer number:XXXXXX</u> <u>Customer Name: DHI</u> <u>Self-Help Resources</u> ArcGIS Online <u>help</u> ArcGIS Online <u>help</u> ArcGIS Online <u>ideos</u> ArcGIS Online <u>blog</u>



Installation step	Screen
If you are the first user activating the license, you are the company administrator and you can start inviting members and assigning licenses for ArcGIS Pro. It is allowed to invite any number of members, who will be allowed to use the license. New members will receive a similar mail with a link for creating their password. Each member must then activate his account with a password.	An invitation to join an ArcGIS Online organization, DHI A/S - DHI Water Environment Health.
If you want to assign a license to an existing member, go to tab 'Licenses' \ 'Manage'. You can also assign a license without creating a member. You can follow below video for administration basics on ArcGIS online: https://www.youtube.com/watc h?v=fVJ6Bq6O9XU&list=PLG ZUzt4E4O2IJt1O_OTDFR-	Home Galery Map Some Notebook Grangs Content Organization Q. Q. III Content Cont
3dUpiCZGKf&index=5 Activate your named license on the local installation of ArcGIS Pro: Start ArcGIS Pro Click Settings	Autor 1 2 x



Installation step	Screen
Click Licensing	Image: Constraint of the problem of the production of this program, or any portion of R, may maximum extent possible under the tax. Intervent Portals Intervent Options Add to Manager Help About Ext
Click Configure your licensing options Select the license type 'Named user license'	Addesed No No No Petals No No No Esri Extensions No No No Petals No No No Added Manager No No No Hop No No No Added Manager No No No Defense foregraphing No No No Defense foregraphing<
	License Type Hamed User License Learn More Configure your licensing options Dease configure your licensing portal from the options below: ArcGIS Online Actionize ArcGIS Pro with a valid ArcGIS Online account URL https://www.arcgis.com/ ArcGIS Enterprise Authorize ArcGIS Pro using your ArcGIS Enterprise portal URL URL Example: https://webadaptorhost.domain.com/webadaptorname



Installation step	Screen
Select the license portal ArcGIS Online, with URL https://www.arcgis.com/	Licensing Configure Authorization Select your authorization type from the drop-down list below: License Type Named User License Learn More Configure your licensing options Please configure your licensing portal from the options below: ArcGIS Online Image: Authorize ArcGIS Pro with a valid ArcGIS Online account URL https://www.arcgis.com/ JRL https://www.arcGIS Enterprise portal Image: URL Image: Authorize ArcGIS Provemant and the set of the set
Enter your login and password	ArcGIS Sign In × ArcGIS Pro wants to access your ArcGIS Online account information ? Sign in to DHI A/S - DHI Water Environment Health with ArcGIS login Password Sign In Cancel Forgot username? or Forgot password? Privacy Sign me in automatically

Authorization with a network license server and EFL code

You have received a network license of ArcGIS Pro software with an ELF code (Concurrent use license, with format EFLXXXXXXX). Please follow these instructions to authorize the product.

The ArcGIS License Manager in version 2019.2 or higher must be installed in order to make the licenses available. If you wish to use the software on your local PC without making it available in a network, you can install the license manager on the local PC. If



you wish to use a setup where you use a local installation of ArcGIS Pro and acquire its license from a license server, you can install it on a server in your local network.

The corresponding installer is located in the "Prerequisites" sub-folder of the MIKE URBAN+ installation, under the folder ArcGIS License Manager 2019.2. If you already have an older version installed, please install the newer version, then the older version will be overwritten. Detailed info can be found here: https://pro.arcgis.com/en/pro-app/get-started/authorize-arcgis-pro-with-concurrent-use-licenses.htm

Installation step	Screen
Run the <i>Setup.exe</i> program file from the installation media/download folder, in the 'License Manager 20XX.X' folder. Click Next	Image: ArcGIS License Manager 2019.0 Setup X Image: MarcGIS License Manager 2019.0 Setup program Setup program It is strongly recommended that you exit all Windows programs before running this setup program. Click Cancel to quit setup and dose any programs you have running. Click Next to continue the installation. WARNING: This program is protected by copyright law and international treaties. Unauthorized reproduction or distribution of this program, or any portion of it, may result in severe civil and criminal penalties, and will be prosecuted to the maximum extent possible under law.
Select I accept the master agreement Click Next	



Installation step	Screen
Click Next	ArcGIS License Manager 2019.0 Setup Destination Folder Select a folder where the application will be installed. Install ArcGIS License Manager 2019.0 to: C:\Program Files (x86)\ArcGIS\LicenseManager\ Change
	< Back Next > Cancel
Click Install The process may take several minutes	ArcGIS License Manager 2019.0 Setup Ready to Install the Program The wizard is ready to begin installation. Click Install to begin the installation. If you want to review or change any of your installation settings, click Back. Click Cancel to exit the wizard. AccGIS License Manager 2019.0 Setup X Ready to Install Click Install Click Install to begin the installation. If you want to review or change any of your installation settings, click Back. Click Cancel to exit the wizard. AccGIS License Manager 2019.0 Setup X Ready to Install Click Install Cancel
Click Finish	ArcGIS License Manager 2019.0 Setup × ArcGIS License Manager 2019.0 has been successfully installed. Click the Finish button to exit this installation.



Installation step	Screen
Select Pro X.X-X.X Click Authorize now	ArcGIS License Server Administrator - 2019.0 - X ArcGIS (M3H-PC2) ArcGIS (M3H-PC2) ArcGIS (M3H-PC2) Configure Availability Disposition Disposition Disposition To use Concurrent Use products and extensions, you must first authorize them on your license server and start the service. To authorize your products and extension, please select the version to license and then click 'Authorize Now'. To remove licenses from your license server dick Deauthorize: Deauthorize Generate a configuration file for Portal 10.6:
	Help License Server Status: RUNNING OK Cancel Apply
Select 'I need to authorize licenses on my license server' Select the product ArcGIS Pro Click Next	Software Authorization Wizard X Authorization Options You must authorize the license server prior to use. Select from the options below. Authorization Options Ineed to authorize licenses on my license server. I have already authorized core licenses and need to authorize additional extensions. Ihave received an authorization file and am now ready to finish the authorization process. Product to be Authorized ArcGIS Desktop ArcGIS Pro ArcGIS Engine Eack Next >



Installation step	Screen		
Select this option	Software Authorization Wiza	rd X	
Click Next	Authorization Method Select the method you	want to use to authorize the software.	
	 Authorize with Esri now (This automatic method) 	using the Internet. I is the easiest way to authorize. It requires an Internet connection.)	
	◯ Authorize at Esri's web	O Authorize at Esri's website or by email to receive your authorization file.	
	◯ Authorize your software	from a local license server.	
		< Back Next > Cancel	
Fill in the necessary	Software Authorization Wiza	rd X	
information		Authorization Information	
Click Next	We will use the followin the software. (* required	We will use the following information to verify our records and authorize your use of the software. (* required field)	
	*First Name:		
	First Name.	MIKE	
	*Last Name:		
	*Last Name:		
	*Last Name: *Organization:		
	*Last Name: *Organization: Department:	CLOUD DHI	
	*Last Name: *Organization: Department: *Address 1:	CLOUD DHI	
	*Last Name: *Organization: Department: *Address 1: Address 2:	CLOUD DHI	
	*Last Name: *Organization: Department: *Address 1: Address 2: *City:	CLOUD DHI Agem Alle 5 Horsholm	
	*Last Name: *Organization: Department: *Address 1: Address 2: *City: *State/Province:	CLOUD DHI Agem Alle 5 Image: State St	
	*Last Name: *Organization: Department: *Address 1: Address 2: *City: *State/Province: *Zip/Postal Code:	CLOUD DHI	
	*Last Name: *Organization: Department: *Address 1: Address 2: *City: *State/Province: *Zip/Postal Code: *Location:	CLOUD DHI Agem Alle 5 Horsholm N/A 2970 Denmark	
	*Last Name: *Organization: Department: *Address 1: Address 2: *City: *State/Province: *Zip/Postal Code: *Location: *Phone Number:	CLOUD DHI Agem Alle 5 Horsholm N/A 2970 Denmark v +4545169200 mike@dhigroup.com	
	*Last Name: *Organization: Department: *Address 1: Address 2: *City: *State/Province: *Zip/Postal Code: *Location: *Phone Number: *Email:	CLOUD DHI Agern Alle 5 Horsholm N/A 2970 Denmark +4545169200	
	*Last Name: *Organization: Department: *Address 1: Address 2: *City: *State/Province: *Zip/Postal Code: *Location: *Phone Number: *Email:	CLOUD DHI Agem Alle 5 Horsholm N/A 2970 Denmark v +4545169200 mike@dhigroup.com	
	*Last Name: *Organization: Department: *Address 1: Address 2: *City: *State/Province: *Zip/Postal Code: *Location: *Phone Number: *Email:	CLOUD DHI Agem Alle 5 Horsholm N/A 2970 Denmark v +4545169200 mike@dhigroup.com	
	*Last Name: *Organization: Department: *Address 1: Address 2: *City: *State/Province: *Zip/Postal Code: *Location: *Phone Number: *Email:	CLOUD DHI Agem Alle 5 Horsholm N/A 2970 Denmark v +4545169200 mike@dhigroup.com	



Installation step	Screen	
Fill in the necessary information Click Next	Software Authorization Wizard X Authorization information (continued) We will use the following information to verify our records and authorize your use of the software. (* required field)	
	*Your Organization: Non-Profit Organization ~	
	*Your Industry: Water Resources ~	
	*Yourself: Vother V	
	The personal information you supplied is protected under Esri's privacy policy. If you want to view Esri's privacy policy, click the View button below.	
Fill in your ArcGIS Authorization code starting with EFL and select the	Software Authorization Wizard X Software Authorization Number Enter the authorization number for your software product.	
number of seats you would like to authorize (1 seat per purchased license)	The authorization number consists of three letters and a series of numbers; similar to ABC123456789.	
If you have already authorized some seats earlier, they cannot be authorized again unless you have de-authorized them	ArcGIS Desktop Advanced No. of Licenses ArcGIS Desktop Standard EFL246516041 1	
Click Next	ArcGIS Desktop Basic	



Installation step	Screen			
If you have purchased any ArcGIS extensions, you must also authorize these with an EFL code provided for the extension(s). Enter them as	Software Authorization Wizard Authorize Software Extensi Please select an option belo			×
shown.	I do not want to authorize a			
If not, choose 'I do not want to authorize any extensions at	Extensions	r(s) to authorize one or more extens		
this time'. Click Next.	Feature 3D Analyst Spatial Analyst	Authorization Number EFL729850086	No. of Lice	
	Network Analyst Publisher Data Interoperability Geostatistical Analyst			
	Tracking Analyst Schematics Full Motion Video			
	Workflow Manager Data Reviewer			
		< Back	Next > Cancel	
The authorization process may take a couple of minutes	Software Authorization Wizard Authorizing Software			×
	•	alidating with License Server		
		< Back	Finish Cancel	



Installation step	Screen
Click Finish	Software Authorization Wizard X Authorizing Software
	Authorizing Software Congratulations, your software has been authorized and is now ready for use.
Select Availability from the menu, and you will see which licenses you have available Click OK	ArcGIS License Server Administrator - 2018.0 - X ArcGIS (JAC-PC1) Configure Double-dick a feature for more information. Concurrent Start/Stop License Service Peature Version Express Total Available Peature Version Express Total Available Peature Version Express Total Available Desktop Standard 10.1-10.6 12-aug-2 1 1 30 Analyst 10.1-10.6 12-aug-2 1 1 Spatial Analyst 10.1-10.6 12-aug-2 1
	Help License Server Status; RUNNING OK Cancel Apply



Installation step	Screen
Start ArcGIS Pro Click Settings	Austral 1 0 X Cyrc New Control
Click Licensing	Image: Second Secon
Click Configure your licensing options	Preta No NA Cennog Esti Extensions Options No No Pytons No No Adde Manager No No Hop No No Abord Des Bioineer Angling No Ext Settings Des Bioineer Angling Des Bioineer Angling No No Ext Settings Des Bioineer Angling Des Bioineer Angling No No Ext Settings Des Bioineer Angling Des Bioineer Angling No No Ext Settings Des Bioineer Angling Des Bioineer Angling No No Ext Settings Des Bioineer Angling Des Bioineer Angling No No Des Bioineer Angling Des Bioineer Angling No Des Bioineer Angling Des Bioineer Angling Des Bioineer Angling Des Bioineer Angling Des Bioineer Angling Des Bioineer Angling Des Bioineer Angling Des Bioineer Angling Des Bioineer Angling Des Christing Alase I



Installation step	Screen
Select the appropriate settings and specify the license manager's host name Click OK	Licensing Configure Authorization Select your authorization type from the drop-down list below: License Type Concurrent Use License License Level Select the Pro core product license level below: Advanced Standard Basic License Manager Not_Set Name Licensed Available Seats ArcGIS Pro Standard 0 N/A