



MIKE+



DHI A/S headquarters Agern Allé 5 DK-2970 Hørsholm Denmark

+45 4516 9200 Telephone +45 4516 9333 Support +45 4516 9292 Telefax

mike@dhigroup.com www.mikepoweredbydhi.com



PLEASE NOTE

COPYRIGHT	This document refers to proprietary computer software, which is protected by copyright. All rights are reserved. Copying or other reproduction of this manual or the related programs is prohibited without prior written consent of DHI A/S (hereinafter referred to as "DHI"). For details please refer to your 'DHI Software Licence Agreement'.
LIMITED LIABILITY	The liability of DHI is limited as specified in your DHI Software License Agreement:
	In no event shall DHI or its representatives (agents and suppliers) be liable for any damages whatsoever including, without limitation, special, indirect, incidental or consequential damages or damages for loss of business profits or savings, business interruption, loss of business information or other pecuniary loss arising in connection with the Agreement, e.g. out of Licensee's use of or the inability to use the Software, even if DHI has been advised of the possibility of such damages.
	This limitation shall apply to claims of personal injury to the extent permitted by law. Some jurisdictions do not allow the exclusion or limitation of liability for consequential, special, indirect, incidental damages and, accordingly, some portions of these limitations may not apply.
	Notwithstanding the above, DHI's total liability (whether in contract, tort, including negligence, or otherwise) under or in connection with the Agreement shall in aggregate during the term not exceed the lesser of EUR 10.000 or the fees paid by Licensee under the Agreement during the 12 months' period previous to the event giving rise to a claim.
	Licensee acknowledge that the liability limitations and exclusions set out in the Agreement reflect the allocation of risk negotiated and agreed by the parties and that DHI would not enter into the Agreement without these limitations and exclusions on its liability. These limitations and exclusions will apply notwithstanding any failure of essential purpose of any limited remedy.



CONTENTS

MIKE+ Installation Guide

1	Introduction	1
2	Installation Prerequisites	2
3	MIKE+ Installation/Upgrade	3
4	DHI License File	7
APPEN PostgreS PostGIS	DIX A: Install PostgreSQL and PostGIS QL Installation Installation	8 8 12
APPEN	DIX B: Advanced PostgreSQL Database management tool	.15
APPENI Configuri	DIX C: Configuring the PostgreSQL Database Server for remote access	.16 17
APPEN	DIX D: Install ArcGIS Pro	.20
ArcGIS F	Pro Installation	20
Authoriza	ation with a named user license	22
Authoriza	ation with a network license server and EFL code	26
Update fi	rom ArcGIS Pro 2.5	34



1 Introduction

This installation guide covers the installation of MIKE+ and required 3rd party software.

MIKE+ can be deployed in different ways using local SQLite database or a PostgreSQL database server – ranging from a personal installation to a corporate installation.

For PostgreSQL, you have these two options

- 1. Personal installation, which allows users to work in a network independent mode on their desktop. This requires the installation of a database on the local computer;
- 2. Corporate installation, which allows for an office to have multiple installations (clients) all working against a central database server.

Furthermore, ArcGIS Pro may optionally be also installed, when purchased as part of MIKE+ ArcGIS.



2 Installation Prerequisites

MIKE+ depends on several prerequisites as listed below if you want to use a PostgreSQL database.

1. A PostgreSQL database server with the PostGIS spatial database extension. The installers of PostgreSQL and PostGIS are included in a separate "Prerequisites" subfolder of the MIKE+ installation. MIKE+ supports the following combination of the two products:

- PostgreSQL 11.2 and PostGIS 2.5.1

Combinations of later versions may also work, but have not been tested.

- 2. SQLite database with a SpatiaLite extension. It is included in the MIKE+ installer and will be installed automatically with MIKE+.
- 3. The DHI License Management application.
- 4. .NET framework 4.7.2, or .NET framework 4.8 when also installing ArcGIS Pro 2.7.



3 MIKE+ Installation/Upgrade

The installation process consists of three parts.

- 1. Installation of MIKE+;
- 2. Optional installation of PostgreSQL and PostGIS;
- 3. Optional installation of ArcGIS Pro.

Installation of MIKE+ software is simple and requires no user interactions beyond accepting the license conditions, specifying the installation folder and languages that should be installed besides English, and includes installation of the personal database SQLite with a SpatiaLite extension.

The following table explains how to install or upgrade MIKE+ and required 3rd party software.

If you need to install or update the version of PostgreSQL and PostGIS, follow the steps described in APPENDIX A. If you need to install ArcGIS Pro, follow the steps described in APPENDIX D.

Installation step	Screen
Run the setup.exe program file from the installation media/download folder, in the 'MIKE+' folder.	DHI MIKE+ 2021 Update 1 - InstallShield Wizard × Powering WATER DECISIONS
Click Next	Welcome to the InstallShield Wizard for DHI MIKE+ 2021 Update 1
	The InstallShield(R) Wizard will install DHI MIKE + 2021 Update 1 on your computer. To continue, dick Next.
	WARNING: This program is protected by copyright law and international treaties.
	< Back Next > Cancel



Installation step	Screen
Accept the license agreement Click Next	DHI MIKE+ 2021 Update 1 - InstallShield Wizard License Agreement Please read the following license agreement carefully. I LEGAL NOTICE 1.1 You are about to install and/or use software developed by DHI A/S ("DHI") and its licensors (the "Software"). Please read this legal notice carefully as it includes important information about how you may and may not use the Software. 1.2 You are only allowed to install and/or use the Software. 1.2 You are only allowed to install and/or use the Software. 1.2 You are only allowed to install and/or use the Software, you are not allowed to do so and doing so will be illegal. 1.3 Anv license to use and anv use of the Software is subject to the regulation set out on I accept the terms in the license agreement I do not accept the terms in the license agreement
	InstallShield < Back Next > Cancel
Select the languages you want to install on the computer (besides English) Click Next	Image: Spanish Language files Image: Spanish Language files Image: Spanish Language files Image: Spanish Language Image: Spanish Language Spanish Language Image: Spanish Language Spanish Language Image:
Select the license type. This may be modified after the installation if required. Click Next	DHI MIKE+ 2021 Update 1 - InstallShield Wizard License selection Select license type Inchanged. Keep current form of license management. Select this option if you have an internet license. Demo Local. To use local mode DHI License Manager must be installed on the system and your DHI dongle must be plugged in Network. Licenses are requested from a central server InstallShield Keep Carrent form a central server



Installation step	Screen
Click Install	DHI MIKE+ 2021 Update 1 - InstallShield Wizard Ready to Install the Program The wizard is ready to begin installation. Click Install to begin the installation. If you want to review or change any of your installation settings, click Back. Click Cancel to exit the wizard.
	InstallShield
Wait	Installing DHI MIKE+ 2021 Update 1 - InstallShield Wizard — × Installing DHI MIKE+ 2021 Update 1 InstallShield Wizard installed. InstallShield Wizard installs DHI MIKE+ 2021 Update 1. Image: Please wait while the InstallShield Wizard installs DHI MIKE+ 2021 Update 1. Status: Copying new files ImstallShield InstallShield InstallShield Cancel
Click Finish	BHI MIKE+ 2021 Update 1 - InstallShield Wizard X Powering WATER DECISIONS
	InstallShield Wizard Completed The InstallShield Wizard has successfully installed DHI MIKE + 2021 Update 1. Click Finish to exit the wizard.



Installation step	Screen
If you have installed another language than English, Open MIKE+ to finish the language configuration.	MIKE+ 2021 MIKE+ MIKE+ MIKE+ MIKE+ MIKE+ MIKE+ MIKE+ MIKE+ Mixed Reality Portal Movies & TV Type here to search
Go to the File menu, and select User preferences . Select the desired language, and close MIKE+.	User preferences ■ × Language English □ Use single ec □ Spanish ○ Show warnin ○ Auto-load res □ Auto-restore ○ Auto-restore ○ Auto-restore ○ Nussian Czech Usrainian Number of significant digits in editors 7 ● ○ ○ ○ ○ ○ ○ ○ ○



4 DHI License File

The DHI license is handled through the DHI License Management software, which can be found under DHI License Administration in the Start Menu.

Important information: If you plan to use a local DHI license bound to a dongle, you must install the DHI License Manager before following the steps below. The installer for the DHI License Manager must be downloaded separately from the MIKE+ installer. This additional installation is however not required for an Internet license. For a network license installation, the DHI License Manager is required only on the server, but not on the client computers.





APPENDIX A: Install PostgreSQL and PostGIS

As mentioned in Chapter 2, it is possible to use a PostgreSQL database.

PostgreSQL Installation

The following table explains how to install a PostgreSQL database. The postgresql-xx.x-x-windows-x64.exe installer is located in the "Prerequisites" sub-folder of the MIKE+ installation.

Installation step	Screen
Run the database installation program e.g. postgresql-xx.x-x-windows- x64.exe	
Start of installation Click Next	Setup - C X Packaged by: DOSTGRES Constant of the PostgreSQL Setup Wizard. Velcome to the PostgreSQL Setup Wizard.
	< Back Next > Cancel
Accept the default installation folder Click Next	Setup – C X Installation Directory Please specify the directory where PostgreSQL will be installed. Installation Directory C:\Program Files\PostgreSQL\11



Installation step	Screen
Accept the default selected components. Click Next	Setup — C X Select Components Select Components Select the components you want to install; clear the components you do not want to install. Click Next when you are ready to continue. PostgreSQL Server PostgreSQL Server PostgreSQL Server Click on a component to get a detailed description Command Line Tools Click on a component to get a detailed description InstallBuilder Absolution Mathematical Section Section
Accept the default data folder. Click Next	Setup — X Data Directory Please select a directory under which to store your data. Data Directory Please select a directory Information Pleasifies PostgresQL (11)(data) InstallBuilder (SBack Next > Cancel
Type in a password for the postgres user (the administrator for the database server). Click Next	Setup Password Please provide a password for the database superuser (postgres). Password ******* Retype password ******* InstallBuilder < Back Next > Cancel



Installation step	Screen
Accept the default port number (5432) Click Next	Setup Port Please select the port number the server should listen on. Port 5432
	InstallBuilder
Leave the "Locale" as "Default Locale" Click Next	Setup Advanced Options Select the locale to be used by the new database duster. Locale [Default locale] InstallBuilder InstallBuilder Cancel
Installation summary. Click Next	Setup Pre Installation Summary The following settings will be used for the installation:: Installation Directory: C: \Program Files\PostgreSQL\11 Server Installation Directory: C: \Program Files\PostgreSQL\11 Data Directory: C: \Program Files\PostgreSQL\11 Data Database Superuser: postgres Operating System Account: NT AUTHORITY\WetworkService Database Service: postgresGl+11 Command Line Tools Installation Directory: C: \Program Files\PostgreSQL\11 pgAdmin4 Installation Directory: C: \Program Files\PostgreSQL\11 psAdmin4 Installation Directory: C: \Program Files\PostgreSQL\11 psace



Installation step	Screen
Click Next	Setup — C X Ready to Install Setup is now ready to begin installing PostgreSQL on your computer. InstallBuilder Above
Installing	Setup Installing Please wait while Setup installs PostgreSQL on your computer. Installing Unpacking C: \Program Files\PostgreSQL\11\include\ogr_feature.h InstallBuilder InstallBuilder Cancel
The database server installation has finished Click off the "Launch Stack Builder at exit?" option and then click Finish	Setup Packaged by: PostgreSQL Source of the state of



PostGIS Installation

The following table explains how to install PostGIS database extension. The postgisbundle-pg11x64-setup-x.x.x-x.exe installer is located in the "Prerequisites" sub-folder of the MIKE+ installation.

Installation step	Screen
Run the PostGIS installation program (e.g. postgis-bundle- pg11x64-setup-x.x.x-x.exe)	
Start of installation Click I Agree	PostGIS Bundle 2.5.1 for PostgreSQL x64 11 Setup Version 2, 5.1 for PostgreSQL x64 11 Setup Version 2, 5.1 for PostgreSQL x64 11. Press Page Down to see the rest of the agreement. GNU GENERAL PUBLIC LICENSE Version 2, June 1991 Copyright (C) 1989, 1991 Free Software Foundation, Inc. 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed. Preamble The licenses for most software are designed to take away your If you accept the terms of the agreement, click I Agree to continue. You must accept the agreement to install PostGIS Bundle 2.5.1 for PostgreSQL x64 11. Nullsoft Install System v3.02.1 I Agree Cancel
Leave "Create spatial database" unchecked. Click Next	PostGIS Bundle 2.5.1 for PostgreSQL x64 11 Setup Otoose Components Choose Components Choose which features of PostGIS Bundle 2.5.1 for PostgreSQL x64 11 you want to install. Check the components you want to install and uncheck the components you don't want to install. Click Next to continue. Select components to install: PostCIS PostCIS PostCI Pos



Installation step	Screen
Accept the default folder. Click Next	PostGIS Bundle 2.5.1 for PostgreSQL x64 11 Setup Otoose Install Location Choose Install Location Choose the folder in which to install PostGIS Bundle 2.5.1 for PostgreSQL x64 11. Setup will install PostGIS Bundle 2.5.1 for PostgreSQL x64 11 in the following folder. To install in a different folder, dick Browse and select another folder. Click Next to continue.
	Destination Folder C:\Program Files\PostgreSQL\11\ Browse Space required: 188,4 MB Space available: 212.0 G8 Nullsoft Install System v3.02.1 < Back
Yes to the GDAL_Data environment variable Click Yes	PostGIS Bundle 2.5.1 for PostgreSQL x64 11 Setup Would you like us to register the GDAL_DATA environment variable for you, needed for raster transformation to work properly? This will overwrite existing settings if you have them.
Yes to both set of environment variables Click Yes	Raster drivers are disabled by default. To change you need to set POSTGIS_GDAL_ENABLED_DRIVERS environment variable and will need to restart your PostgreSQL service for changes to take effect. Set POSTGIS_ENABLED_DRIVERS to common drivers GTiff, PNG, JPEG, XYZ, DTED, USGSDEM, AAIGrid? Yes No
	PostGIS Bundle 2.5.1 for PostgreSQL x64 11 Setup Raster out of db is disabled by default. To enable POSTGIS_ENABLE_OUTDB_RASTERS environment variable needs to be set to 1. Enable out db rasters? Yes No



Installation step	Screen
The installation has finished Click Close	PostGIS Bundle 2.5.1 for PostgreSQL x64 11 Setup
	< Back Close Cancel



APPENDIX B: Advanced PostgreSQL Database management tool

The PostgreSQL database password provided during installation can be stored in the database for easy access in the future. It is an optional configuration.

Installation step	Screen
Start the pgAdmin 4 database administration tool from the Windows Start menu	Image: SQL 11Image: SQL 12Image: SQL 12 </td
An internet browser opens	□ pgAdmin 4 × + ✓ ← → ○ 127.0.0.1:57602/browser/
Right click the database server entry for localhost under the Servers node to access "Connect Server"	✓ Servers (1) PostgreSOL 11 Create Refresh Delete/Drop Connect Server Properties
Provide the password for the postgres user and check on the "Store password" option Note: Clicking on "Store password" leads to a warning. Click OK on the warning dialog	Connect to Server Please enter the password for the user 'postgres' to connect the server - "PostgreSQL 11" Password Save Password X Cancel



APPENDIX C: Configuring the PostgreSQL Database Server for remote access

IMPORTANT: This is only needed if the database server shall accept connection from remote computers.

The section describes how to configure the PostgreSQL database server for running in corporate mode.

Installation step	Screen			
Locate the pg_hba.conf file in the data folder (C:\Program Files\PostgreSQL\11\data) and open it in an editor e.g. Notepad	 ← → < ↑ → This PC → OSDek (C) → Program Files → 9.6 → 0 deta → 0	PestgerSQL > 9.8. > data Nome base glabal pg_clog pg_commt_ts pg_log pg_logical pg_nullinact pg_nullinact pg_nullinact pg_replat pg_replat pg_replat pg_stail pg_stail pg_stail pg_stail pg_stail pg_stail pg_blacen pg_log pg_logical pg_replat pg_replat pg_stail pg_stail pg_stail pg_stail pg_stail pg_stail pg_blacen pg_log pg_logical pg_replat pg_stail	Date modified Type 27-02-2017 14:00 File folder 0:0-2017 05:00 File folder 2:0-2-2017 15:25 File folder <t< th=""><th>Size 530 530 150</th></t<>	Size 530 530 150
Insert new line(s) to open up for all non-local connections to database as shown on the right Open for IPv4: host all all 0.0.0/0 md5 Open for IPv6: host all all ::0/0 md5 Adjust spaces! Save the configuration.	<pre>pg_bba.conf - Notepad File Edit Format View Help # OPTIONS are a set of options # NAME=VALUE. The available of # authentication methods re # section in the documentation # available for which authentin # Database and user names cont. # Database and user names cont. # special characters must be q # "all", "sameuser", "samerole # its special character, and ju # that name. # This file is read on server # SIGHUP signal. If you edit # SIGHUP the server for the ch # or execute "SELECT pg_reload # # Put your actual configuration # If you want to allow non-loc. # "host" records. In that cass # listen on a non-local interf. # configuration parameter, or your second set of the server.</pre>	for the authenticati tions depend on the fer to the "Client Au for a list of which cation methods. aining spaces, commas joted. Quoting one o " or "replication" ma ust match a database startup and when the the file on a running anges to take effect, _conf()". h here al connections, you n a you will also need ace via the listen_ad via the -i or -h comm	- on in the format different thentication" options are f the keywords kes the name lose or username with server receives a system, you have run "pg_ctl relow eed to add more to make PostgreSQI dresses and line switches.	to ad",
	<pre># TYPE DATABASE USER # IPv4 local connections: host all all # IPv6 local connections: host all all # Allow replication connection: # replication privilege. host replication all host replication all host all all host all all</pre>	ADDRESS 127.0.0.1/3 ::1/128 s from localhost, by 127.0.0.1/3 ::1/128 0.0.0.0/0 ::0/0	METH 2 md5 a user with the 2 md5 md5 md5 md5 md5	di

Start by enabling password save as shown in APPENDIX B.



Installation step	Screen					
Restart the services to apply the update.	g짚 Task Manager File Options View				- 🗆 ×	×
	Processes Performance Ap	p history Startup Use	rs Details Servi	ces		
	Name	PID Description	1	Status	Group	^
	🔍 PolicyAgent	5752 IPsec Polic	y Agent	Running	NetworkServic	
	ostgresql-x64-11	7557		Running		
	Power	Start		Running	DcomLaunch	
	Power Manager DBC Serv	Stop	Power Ser	Running		
	Second PrintNotify	Restart	ns and Not	Stopped	print	
	PrintWorkflowUserSvc	Open Services		Stopped	PrintWorkflow	
	PrintWorkflowUserSvc_9t	Search online	9ba21	Stopped	PrintWorkflow	
	ProfSvc	Go to details	rice	Running	netsvcs	
	Eewer details	Services				
	rewer details we open	1 Services				

Configuring the Windows Firewall for remote access to PostgreSQL

The section describes how to configure the Windows firewall for PostgreSQL running in enterprise mode.

Installation step	Screen
Open the Firewall applet in the Windows Control Panel Click Advanced Settings	Allow a program or feature through Windows Firewall
Select Inbound Rules Click New Rule in the Actions panel to the right	Windows Freewall with Advanced Security Image: Constant State Bie Action View Belp Image: Constant State Windows Freewall with Advance Image: Constant State Image: Constant State Image: Constate State Image: Constate State Image: Constate Image: Constate State Image: Constate State Image: Constate State Image:



Installation step	Screen
Select Port Click Next	New Inbound Rule Wizard Rule Type Select the type of frewal rule to create.
	Steps: Protecol and Ports Protocol and Ports Program Action Drogram Profile Profile Name Pgrt Rule that controls connections for a program. Profile Pgrt Branch/Cache - Context Retrieval (Uses HTTP) * Rule that controls connections for a Windows experience. Custom Custom nule. Stem nule.
	Learn more about rule types < Back
Select TCP, Specific local	New Inbound Rule Wizard Protocol and Ports
ports and enter 5432 (or the	Specify the protocols and pots to which this rule applies.
installing PostgreSOL)	Steps:
	Rule Type Does this fole apply to 1CP or ODP? Protocol and Ports O ICP
Click Next	Action
	Protie Name Departing de versionelle al local and ac assetting local and c2
	Does this hale apply to all local ports or specific local ports?
	Specific local ports: 5432 Example: 80, 443, 5000-5010
	Learn more about protocol and ports
	< Back Next > Cancel
Select Allow the connection	Rew Inbound Rule Wizard
Click Next	Action Specify the action to be taken when a connection matches the conditions specified in the rule.
	Steps:
	Rule Type What action should be taken when a connection matches the specified conditions?
	Frouced and Ports (i) Allow the connection This includes connections that are protected with iPeer as well as those are not
	Profile Allow the connection if it is secure
	Name This includes only connections that have been authenticated by using IPace. Connections will be secured using the settings in IPace properties and rules in the Connection Security Rule node. Customize
	Block the connection
	Learn more about actions
	< Back Next > Cancel



Installation step	Screen	
Click on for all profiles	New Inbound Rule Wiza	rd Z
Click Next	Profile Specify the profiles for which the	sis n <i>ée a</i> pplies
CIICK NEXT	Steps: Pule Type Potocol and Ports Action Profile Name	 When does this rule apply? Domain Applies when a computer is connected to its corporate domain. Private Applies when a computer is connected to a private network location. Pgblic Applies when a computer is connected to a public network location.
		Learn more about profiles < Back <u>Next ></u> Cancel
Specify a rule name – e.g. "PostgreSQL (5432)" – and a description	New Inbound Rule Wiza Name Specify the name and descript Starse:	rd 🛛 💌
Click Finish	 Fuld Type Protocol and Ports Action Profile Name 	Name: PostgreSQL (5432) Description (optional):
		< Back Frish Cancel
The new rule is now added to	Windows Firewall with Advance	d Security
the list of Inbound rules	tree action of person of the second sec	Inhound Rules Actions Name Group Porfite Enabled O Anaport All Yes D Benjour genete Protexte Yes D Benjour genete Protexte Yes O connectify Public Yes O compose Protexte Yes O internet Explorer Protext



APPENDIX D: Install ArcGIS Pro

The ArcGIS Pro installation is carried out in two stages:

- 1. Installation of ArcGIS Pro;
- Authorization of the license as named user (preferred option, applicable to single use as well as concurrent use licenses), or Concurrent license using EFL code or local license.

If you already have ArcGIS Pro 2.5 installed and authorised, please refer to the last chapter below for more details about the update process.

ArcGIS Pro Installation

The following table explains how to install ArcGIS Pro. The ArcGISPro.msi installer is located in the "Prerequisites" sub-folder of the MIKE+ installation.

Installation step	Screen
Run the <i>ArcGISPro.msi</i> program file from the installation media/download	Welcome to the ArcGIS Pro Setup program
folder, in the 'ArcGIS Pro' folder.	It is strongly recommended that you exit all Windows programs before running this setup program.
Click Next	Click Cancel to quit setup and close any programs you have running. Click Next to continue the installation.
	WARNING: This program is protected by copyright law and international treaties.
	Unauthorized reproduction or distribution of this program, or any portion of it, may result in severe civil and criminal penalties, and will be prosecuted to the maximum extent possible under law.
	< Back Next > Cancel



Installation step	Screen	
Select I accept the master agreement Click Next	ArcGIS Pro Setup × Master Agreement You must agree with the master agreement below to proceed. Master Agreement (E204CW) Revised September 16, 2020 IMPORTANT-READ CAREFULLY Unless superseded by a signed license agreement between you and Esri, Esri is willing to provide Esri Offerings and Services to you only if you accept all terms and conditions contained in this Agreement as the sole and final agreement of the parties regarding your acquisition of these Esri Offerings and Services. Please read the terms and conditions © I accept the master agreement O I do not accept the master agreement	
Select Anyone who uses this computer (all users) Click Next	Agreement PDFs (all languages) < Back	
	< Back Next > Cancel	
Click Next	ArcGIS Pro Setup	



Installation step	Screen
Click Install	⊯ ArcGIS Pro Setup ×
	Ready to Install the Program
	The wizard is ready to begin installation.
	If you want to review or change any of your installation settings, click Back. Click Cancel to exit the wizard. Would you like to anonymously participate in the design of future versions of ArcGIS? Click here to participate in the Esri User Experience Improvement program. (Recommended) Learn more about Esri User Experience Improvement < Back Install Cancel
Click Finish	₿ ArcGIS Pro Setup ×
	ArcGIS Pro has been successfully installed.
	Click the Finish button to exit this installation.
	Run ArcGIS Pro now.
	< Back Finish Cancel

Authorization with a named user license

The named user license (single use as well as concurrent use) provides an easy procedure for authorization and no physical license server is needed. If you have a named user license of ArcGIS Pro software, please follow these instructions to authorize the product.

The authorization for ArcGIS Pro as named user license is done through ArcGIS online. You must have received an activation E-mail with a link. AcrGIS online can be used for ArcGIS Pro licensing, adding and removing members, sharing projects and maps based on the cloud solution.

In general, 4 steps need to be done:

- 1. Click on the activation link (Please note the first user will automatically become the company admin)
- 2. Create an ArcGIS online for your company, following the on-screen instructions



- Under the 'Organization' tab, click on 'Overview' and select 'Invite more company members' meanwhile assigning Pro license to the member The member can now login to ArcGIS Pro using the created credential. 3.
- 4.

Installation step	Screen		
Click on the activation link and follow the indications to create the ArcGIS online for your organization To explore the functionality of ArcGIS online, click on 'Self- Help Resources'	Hello: Here is the information for activating your ArcGIS Online subscription. To activate your subscription, click the following link or copy it into your browser: https://www.arcgis.com/home/activate.html?activationcode=21c10c00938dbd50c2a5 Review the terms of use. Your Subscription Information Keep the following subscription ID for your records and reference it if you need to contact us. Subscription ID: XXXXXXXXX Customer number: XXXXXX Customer Name: DHI Self-Help Resources ArcGIS Online help ArcGIS Online blog		
The first user clicking on the activation mail will be appointed as company admin automatically. The company admin then invites members to join ArcGIS online as well as assigning Pro license. The invitation letter must be activated within 14 days.	An invitation to join an ArcGIS Online organization, DHI A/S - DHI Water Environment Health.		
To assign ArcGIS Pro license to existing members, go to tab 'License' \ 'Manage'. You can follow below video for demonstration basics on ArcGIS online from here.	Norme Gallery Map Scare Notebook Groups Cartert Organization Q A III Organization DH1 A/S - DH1 Water Environment Health Ownowe More New Development Outure <		
Activate the named license on the local installation of ArcGIS Pro: Start ArcGIS Pro Click Settings	<page-header> Accords Perconserved New Renter Projects Banz Bernplate Image: Strate Projects Image: Strate Projects Image: Strate Projects Image: Strate Project StrateStrate Image: Strate Project Image: Strate Project StrateStrate Image: Strate Project Image: Strate Project StrateStrate Image: Strate Project Image: Strate Project StrateStrate Image: Strate Project StrateStrate Image: Strate Project StrateStrate Image: Strate Project StrateStrate Image: Strate Project StrateStrateStrate Image: Strate Project StrateStrate</page-header>		



Installation step	Screen
Click Licensing	Ver P Ver Construction Ver Construc
Click Configure your licensing options	Open ArcGIS Pro Named User License Ver Na Trons Ver Na Trons Partne Description Ver Na Description Addshow Description Partne Description Addshow Description Partne Description Outcome Description Partne Description Partne Description Description Description Partne Description Description Description Descrip
Select the license type 'Named User License'	Licensing Configure Authorization Select your authorization type from the drop-down list below: License Type Named User License Learn More Configure your licensing options Please configure your licensing portal from the options below: ArcGIS Online Image: A provide the control of the control of the provide the control of the provide the control of the provide the control of the provi







Authorization with a network license server and EFL code

You have received a network license of ArcGIS Pro software with an ELF code (Concurrent use license, with format EFLXXXXXXXX). Please follow these instructions to authorize the product.

The ArcGIS License Manager in version 2020.1 or higher must be installed in order to make the licenses available. If you wish to use the software on your local PC without making it available in a network, you can install the license manager on the local PC. If you wish to use a setup where you use a local installation of ArcGIS Pro and acquire its license from a license server, you can install it on a server in your local network.

The corresponding installer is located in the "Prerequisites" sub-folder of the MIKE+ installation, under the folder ArcGIS License Manager 20XX.X. If you already have an older version installed, please install the newer version, then the older version will be overwritten. Detailed info can be found here: https://pro.arcgis.com/en/pro-app/get-started/authorize-arcgis-pro-with-concurrent-use-licenses.htm

Installation step	Screen
Run the Setup.exe program file from the installation media/download folder, in the 'ArcGIS License Manager 20XX.X' folder. Click Next	ArcGIS License Manager 2020.1 Setup × Welcome to the ArcGIS License Manager 2020.1 Setup program It is strongly recommended that you exit all Windows programs before running this setup program. Click Cancel to quit setup and close any programs you have running. Click Next to continue the installation. WARNING: This program is protected by copyright law and international treaties. Unauthorized reproduction or distribution of this program, or any portion of it, may result in severe civil and criminal penalties, and will be prosecuted to the maximum extent possible under law.
Select I accept the master agreement Click Next	< Back



Installation step	Screen
Click Next	ArcGIS License Manager 2020.1 Setup Destination Folder Select a folder where the application will be installed. Install ArcGIS License Manager 2020.1 to: C:\Program Files (x86)\ArcGIS\LicenseManager\ Change
	< Back Next > Cancel
Click Install The process may take several minutes	ArcGIS License Manager 2020.1 Setup × Ready to Install the Program The wizard is ready to begin installation. Click Install to begin the installation. Click Install to begin the installation. If you want to review or change any of your installation settings, click Back. Click Cancel to exit the wizard. Back Enstall Cancel
Click Finish	ArcGIS License Manager 2020.1 Setup × ArcGIS License Manager 2020.1 has been successfully installed. Click the Finish button to exit this installation.



Installation step	Screen
Select the version: Pro X.X- X.X Click Authorize now	ArcGIS License Server Administrator - 2020.1 ArcGIS (M3H-PC2) Start/Stop License Service Start/Stop License Service Availability Availability Diagnostics To use Concurrent Use products and extensions, you must first authorize them on your license service and start the service. To authorize your products and extension, please select the version to license and then click 'Authorize Now' below to start the Software Authorization Wizard. If the 1.4-2. Authorize Now To remove licenses from your license server click Deauthorize: Deauthorize Generate a configuration file for Portal 10.6:
	Machine IDs Generate Help License Server Status: RUINNING OK Cancel Apply
Select 'I need to authorize licenses on my license server' Select the product ArcGIS Pro Click Next	Software Authorization Wizard X Authorization Options You must authorize the license server prior to use. Select from the options below. Authorization Options Ineed to authorize licenses on my license server. I have already authorized core licenses and need to authorize additional extensions. Inave received an authorization file and am now ready to finish the authorization process. Product to be Authorized ArcGIS Desktop ArcGIS Engine Esti CityEngine ArcGIS LocateXT Kext >



Installation step	Screen
Select this option	Software Authorization Wizard X
Click Next	Authorization Method Select the method you want to use to authorize the software.
	 Authorize with Esri now using the Internet. (This automatic method is the easiest way to authorize. It requires an Internet connection.)
	O Authorize at Esri's website or by email to receive your authorization file.
	O Authorize your software from a local license server.
	< Back Next > Cancel
Fill in the necessary	Cafe use Authorization Winard
information	Authorization Information
Click Next	We will use the following information to verify our records and authorize your use of the software. (" required field)
	*First Name: MIKE
	*Last Name: CLOUD
	*Organization: DHI
	Department:
	*Address 1: Agem Alle 5
	Address 2:
	*City: Horsholm
	*State/Province: N/A
	*Zip/Postal Code: 2970
	*Location: Denmark ~
	*Phone Number: +4545169200
	*Email: mike@dhigroup.com
	Comment:
	Optional user-defined authorization description.
	CRack Nexts Concel



Installation step	Screen
Fill in the necessary information Click Next	Software Authorization Wizard X Authorization information (continued) We will use the following information to verify our records and authorize your use of the software. (" required field)
	"Your Organization: Non-Profit Organization "Your Industry: Water Resources "Yourself: Other The personal information you supplied is protected under Esri's privacy policy. If you want to view Esri's privacy policy, click the View button below. View
Fill in your ArcGIS Authorization code starting with EFL and select the number of seats you would like to authorize (1 seat per	 Software Authorization Wizard X Software Authorization Number Enter the authorization number for your software product. The authorization number consists of three letters and a series of numbers; similar to
purchased license) If you have already authorized some seats earlier, they cannot be authorized again unless you have de-authorized them Click Next	ABC123456789. ArcGIS Desktop Advanced No. of Licenses ArcGIS Desktop Standard ABC123456789 1 ArcGIS Desktop Basic
	< Back Next > Cancel



Installation step	Screen			
If you have purchased any ArcGIS extensions, you must also authorize these with an	Software Authorization Wizard Authorize Software Extensi Please select an option bek	ons ow.		×
EFL code provided for the extension(s). Enter them as shown.	Options O I do not want to authorize a	any extensions at this time.		
If not, choose 'I do not want to	I have authorization number	er(s) to authorize one or more extens	sions.	
authorize any extensions at this time'.	Extensions	Authorization Number	No. of Lice	
Click Next.	3D Analyst Spatial Analyst	EEL729850086	1	_
	Network Analyst Publisher			
	Data Interoperability Geostatistical Analyst			
	Tracking Analyst Schematics			
	Full Motion Video Workflow Manager			
	Data Reviewer			
		< Back	Next > Cano	el
The authorization process may	Software Authorization Wizard			×
take a couple of minutes	Authorizing Software			
	Validating with License Server Authorizing software			
		< Rack	Finish	el
		C Dack	Can	



Installation step	Screen
Click Finish	Software Authorization Wizard X Authorizing Software
	Authorizing Software Congratulations, your software has been authorized and is now ready for use.
Select Availability from the menu, and you will see which licenses you have available Click OK	ArcCiS License Server Administrator - 2020.1 - X ArcCiS (CMY-PC2) Start/Stop License Service Double-click a feature for more information. Concurrent Peature Version Expires To- Peature Version Expires To- Peature Version Expires To- Spatial Analyst Destop 10.1-10.8 23-Apr-2021 1 Spatial Analyst Destop 1.4-2.7 23-Apr-2021 1 Spatial Analyst Destop 1.4-2.7 23-Apr-2021 1 Spatial Analyst Destop 1.4-2.7 23-Apr-2021 1 Very License Usage



Installation step	Screen
Start ArcGIS Pro Click Settings	Arcs be 2 - × Arcs CGLS Pro Image: Compare the state of the s
Click Licensing	Image: State
Click Configure your licensing options	Open ArcGIS Pro Named User License See 2 Note See Petter Sector Open Sector Sector Sector Sector Open Sector Sector Sector Open Sector



Installation step	Screen
Select the appropriate settings and specify the license manager's host name Click OK	Licensing Configure Authorization Select your authorization type from the drop-down list below: License Type Concurrent Use License License Level Select the Proceen modulet license level below: Actioncod Standard Ratic
	License Manager CHY-PC2 Add Backup
	Name Licensed Available Seats Expires
	ArcGIS Pro Standard 0 23-04-2021
	3D Analyst 0 N/A
	Aviation Airports 0 N/A
	Aviation Charting 0 N/A
	Bathymetry 0 N/A
	Business Anaryst 0 N/A
	Data Interoperativity 0 N/A
	Defense Manning 0 N/6
	Geostatistical Analyst 0 N/A
	Image Analyst 0 N/A
	Laurente VT C. Alla V
	Retresh OK Cancel

Update from ArcGIS Pro 2.5

The ArcGIS Pro setup package is designed to detect and update any existing installation of the same ArcGIS product. The update procedure may differ depending on the license type of your ArcGIS Pro license. If you are in doubt about which license type your organization is using, kindly contact DHI Customer Success team (mike@dhigroup.com) for assistance.

If you have a single use license or named user license:

- 1. Make sure ArcGIS Pro 2.5 is shut down. Do NOT de-authorize the license.
- 2. Download MIKE+ ArcGIS from our downloading page and browse to the folder named ArcGIS Pro 2.7. Then right click on the ArcGIS Pro 2.7 installer to start the installation (update).
- Follow the on-screen instructions as described in the previous chapter to install ArcGIS Pro 2.7. The installation process will automatically replace the previously installed version of ArcGIS Pro.
- 4. Launch ArcGIS Pro. The product information now shows version 2.7 and the license information is retained as before.

If you have a network/concurrent use license: your current authorization will be preserved and reconfigured for ArcGIS Pro 2.7. Follow the instructions below:



Installation step Screen ArcGIS License Server Administrator - 2020.1 _ \times On the server: ArcGIS (CHY-PC2) Start/Stop License Service Configure Availability Authorization Double-click a feature for more information. Concurrent - Return all borrowed licenses to the server. Do not de-Feature то... Version Expires Diagnostics rcGIS authorize the EFL code Desktop Standard Spatial Analyst Desktop Spatial Analyst Pro 23-Apr-2021 23-Apr-2021 23-Apr-2021 10.1-10.8 10.1-10.8 23-Apr-2021 1.4-2.7 - Do NOT uninstall the previous version of ArcGIS License Administrator ß - Start the installation of ArcGIS License Administrator 2020.1: right-click the .exe file < found in a separate folder after Refresh downloading MIKE+ ArcGIS View License Usage and choose 'Run as administrator' OK Cancel Apply Help License Server Status: RUNNING - The installation process will automatically replace the old ArcGIS License Administrator On the client PC: € Active License Manager: CHY-PC2 Licensing Licensing Options Ensure that ArcGIS Pro is Configure Aut Esri Extensions updated to version 2.7 and the Select your aut Name License Type License Manager you are License Level connecting to points to the Select the P right server name. Basic Add Backup Settings Authorize ArcGIS Pro to work Show license expiration war Workstation Alias ArcGISPro 65 Configure your licensing optic Manage your data licensing OK Cancel a about lie